

PRECANCEL STAMP SOCIETY
PSS Official Style Chart Album
Of
US Contracted Precancel Devices



JULY 2020

Published by:


PRECANCEL STAMP SOCIETY, Inc.
P. O. Box 1013
Fenton, MO 63026

Bureau Plates

As the type faces are highly standardized, dimensions are approximate. However, vertical spacings vary, especially on Style 63 and between plates made for sheet stamps and coils. Fine changes in manufacturing techniques, discernible by the student, are not taken into account.

- 31 Gothic caps 3 mm high between lines 16 mm apart.
- 32 Like 31, but arranged in three lines.
- 33 Like 31, but letters more condensed.
- 41 Like 42, but wider letters.
- 42 Serifed caps 3 mm high between lines 12 to 13 mm apart.
- 43 Like 42, but narrower letters.
- 44 Like 42, but lower-case letters.
- 45 Like 42, but lower-case narrower letters.
- 51 Block caps. 2.7 mm high between lines 13 mm apart.
- 52 Like 51, but lower-case letters.
- 61 Gothic caps 2 mm high between lines 13 mm apart.
- 62 Like 61, but town carried over onto second line.
- 63 Like 61, but arranged in three lines.
- 71 Gothic caps 2 mm high between lines 10.5 mm apart.
- 72 Like 71, but town carried over onto second line.
- 73 Like 71, but arranged in three lines.
- 75 Like 71, but lines 9.5 mm apart; state name spelled out.
- 76 Like 71, but lines 8.5 mm apart.
- 81 Gothic caps 2 mm high between lines 10.5 mm apart; 2-letter state abbreviation without period.
- 82 Like 81, but town carried over onto second line.
- 83 Like 81, but 0.7 mm between town and state.
- 85 Like 81, but lines 8.5 mm apart.
- 86 Linofilm caps, 2 mm between town and state.
- 87 Like 86, but 1 mm between town and state.


Bureau Plates




31



32




33




41



42




43




44




45




51




52




61




62




63




71




72



73



75



76



81




82




83



85



86




87


City Type Coils

- 101 Serifed caps 3 mm high between bars 13.5 mm apart.
- 111 Block caps 2.5 mm high between bars 13.5 mm apart.
- 112 Like 111, but town in condensed letters.
- 116 Like 111, but letters 3 mm high.
- 117 Like 111, but narrower 3 mm high letters.
- 121 Bold block caps 3 mm high between heavy bars 12 to 13 mm apart; 3.5 mm between town and state.
- 122 Like 121, but town in condensed letters.
- 123 Like 121, but arranged in three lines.
- 131 Lighter faced block caps 3 mm high between heavy bars 12 to 13 mm apart; 2 mm between town and state.
- 132 Like 131, but square letters in three lines.
- 136 Slightly spaced narrow caps 2.5 mm high between bars 13 mm apart.
- 141 Serifed caps 2.2 mm high in repeating with "ladder" arrangement common to all following coil styles.
- 143 Like 141, but letters bolder and wider.
- 145 Wide 3 mm serifed caps with comma.
- 151 Like 152, but narrower letters.
- 152 Serifed caps 3 mm high; two words 7 mm high.
- 153 Like 152, but wider letters: height of two words 6 mm.
- 161 Like 162, but wider letters.
- 162 Block caps 3 mm high: two words 7 mm high.
- 163 Like 162, but town in narrower letters.
- 164 Like 162, but narrower letters.
- 171 Like 162, but bolder, wider and squarer letters.
- 172 Like 162, but bolder and squarer letters.
- 173 Like 162, but bolder and squarer letters; town carried over onto second line.
- 181 Like 162, but letters larger and lighter faced; two words 7.5 mm high.
- 183 Like 162, but taller letters; two words 8 mm high.


City Type Coils




101



111




112



116




117



121




122




123




131




132




136




141




143




145




151




152




153




161




162



163




164




171




172



173



181



183

Electroplates

- 201 Bold-faced block caps 2.3 mm high between 1 mm bars 9.8 mm apart.
- 202 Bold-faced block caps 2.7 mm high between 1 mm bars 12.5 mm apart.
- 202.5 Like 232, but arranged in three lines between bars 13 mm apart.
- 203 Bold-faced block caps 4 mm high between 1 mm bars 12.5 mm apart.
- 204 Like 203, but 3.5 to 4 mm high narrower and lighter faced letters.
- 204.5 Like 203, but taller more condensed lower-case letters.
- 205 Block caps 3 mm high between 1 mm bars 12.5 mm apart.
- 206 Like 205, but letters more condensed.
- 207 Like 205, but arranged in three lines.
- 208 Like 203, but lighter-faced caps 3.8 mm high between 0.8 mm bars 11 mm apart.
- 209 Block caps 2 mm high between 0.8 mm lines 12.5 mm apart.
- 210 Like 209, but lower-case.
- 211 Block caps 3.8 mm high between 1.5 mm bars 10.5 mm apart.
- 212 Block caps 3 mm high between 1 to 1.5 mm bars 9 to 12 mm apart.
- 213 Condensed block caps 2.7 mm high between 3 mm bars 10.5 mm apart.
- 215 Like 212, but state lower-case.
- 216 Like 212, but town and state lower-case.
- 217 Turius caps (slanted horizontal strokes on some letters) 3.8 mm high between 0.8 mm bars 12.5 mm apart.
- 218 Town like 217; state like 219.
- 219 Sharply serifed caps 3 to 3.2 mm high between bars 12.5 to 13 mm apart.
- 220 Like 219, but lower-case.
- 222 Like 219, but state lower-case.
- 224 Like 225, but town in spaced letters.
- 224.5 Like 225, but state in spaced letters.
- 225 Bluntly serifed caps 3 mm high between 0.8 mm bars 12 mm apart.
- 226 Like 225, but arranged in three lines; bars 13 mm apart.
- 227 Like 225, but state lower-case.
- 228 Like 225, but town lower-case.
- 229 Like 225, but town in spaced lower-case letters.
- 230 Like 225, but town and state lower-case.
- 231 Like 225, but town and state lower-case; state in spaced letters.

Note 1: Except where specified otherwise, the state may be spelled out or abbreviated, and punctuation is optional.

Note 2: These styles are all in 100 subject configuration.

Note 3: Styles 201 to 231 are metal devices and are not generally subject to age degradation as are the rubber devices. However, dimensional variation due to the strength of the impression and the inking quality may occur.

Electroplates



201




202




202.5




203




204




204.5




205




206




207




208



209




210




211



212




213



215




216




217




218



219




220




222




224




224.5




225




226




227




228



229



230



231

Electroplates


- 232 Block caps 2.5 mm high between 1.1 mm lines 12 to 15 mm apart.
- 233 Like 232, but lines 11.5 mm apart.
- 234 Like 232, but subjects spaced to fit stamps with longer dimension horizontal; lines 12.5 mm apart.
- 235 Like 232, but arranged in three lines; lines 14 to 17 mm apart.
- 236 Block caps 2 mm high between 1 mm lines 10 to 12 mm apart.
- 236.5 Like 236, but arranged in three lines; lines 15 mm apart.
- 237 Caps 1.8 mm high between 1 mm lines 12 mm apart.
- 238 Caps 1.6 mm high between 1 mm lines 10 mm apart.
- 239 Condensed block caps 3 mm high between 1 mm lines 12 mm apart.
- 240 Like 239, but arranged in three lines; lines 13.5 mm apart.
- 241 Wide serifed caps 2.5 mm high between double lines 14 mm apart.
- 242 Like 241, but subjects spaced to fit stamps with longer dimension horizontal; lines 10 mm apart.
- 243 Caps 2 mm high between double lines 14 mm apart.
- 244 Like 243, but spaced to fit stamps with longer dimension horizontal.
- 245 Like 243, but spaced to fit stamps with longer dimension horizontal; lines 10 mm apart.
- 246 Like 243 but arranged in three lines.
- 247 Caps 1.6 mm high between double lines 14 mm apart.
- 248 Like 247, but spaced to fit stamps with longer dimension horizontal; lines 10 mm apart.
- 249 Like 247, but arranged in three lines.
- 250 Block caps 2.5 mm high in three lines between double lines 14.5 mm apart.
- 251 Condensed block caps 2.5 mm high between double lines 14 mm apart; town and state 1.6 mm apart.
- 252 Like 251 but town and state 1 mm apart.
- 253 Wide serifed caps 2.5 mm high between 0.8 mm lines 12 to 15 mm apart.
- 254 Like 253, but arranged in three lines.

Note 1: Except where specified otherwise, the state may be spelled out or abbreviated, and punctuation is optional.

Note 2: These styles are all in 100 subject configuration.

Note 3: Styles 232 to 254 are metal devices and are not generally subject to age degradation as are the rubber devices. However, dimensional variation due to the strength of the impression and the inking quality may occur.


Electroplates




232



233




234



235



236




236.5



237




238




239




240




241




242




243




244




245




246



247




248




249




250



251



252



253



254

Electroplates


- 255 Block caps 2.5 mm high between 0.8 mm lines 12.5 mm apart; town and state 1.6 mm apart.
- 256 Like 255, but town and state 1 mm apart.
- 257 Condensed block caps 2.5 mm high between 0.8 mm lines 12.5 mm apart; town and state 1.6 mm apart.
- 258 Like 257 but town carried over onto second line.
- 259 Like 257 but town and state 1 mm apart.
- 260 Like 257, but town carried over onto second line; 1 mm between lines of print.
- 261 Letters like 255 between 0.5 mm lines 8 mm apart; town and state 1 mm apart.
- 263 Condensed block caps 2.5 mm high between 0.5 mm lines 8 to 9 mm apart; town and state 1 mm apart.
- 264 Line 263, but town carried over onto second line.
- 266 Like 263, but state on two lines.
- 268 Letters like 263, but in one line between hair-lines 4.5 mm apart; spaced to fit the 1969 Christmas stamp.
- 271 Like 272, but block caps.
- 272 Condensed block caps 2.5 mm high between 0.5 mm lines 13.5 mm apart; town and state 1 mm apart.
- 274 Like 272, but town carried over onto second line.
- 275 Like 272, but arranged in 3 lines. Line spacing 11.5 or 14 mm.
- 276 Block caps 2.5 mm high between 0.8 mm lines 12 to 13 mm apart; town and state 1 mm apart; two-letter state abbreviation without period.
- 277 Like 276, but town carried over onto second line.
- 278 Like 276, but comma after town.
- 278.5 Like 276, but comma after town; with ZIP code.
- 279 Like 276, but condensed caps.
- 280 Like 276, but condensed caps; town carried over onto second line.
- 281 Like 276, but condensed caps; comma after town.
- 282 Like 276, but town in condensed caps.
- 283 Light-faced block caps 2 mm high between 0.8 mm lines 12.7 mm apart; town carried over onto second line.
- 284 Serifed lower-case letters 1.8 mm high; arranged in 3 lines between 1 mm lines 12.5 mm apart.

Note 1: Except where specified otherwise, the state may be spelled out or abbreviated, and punctuation is optional.


Note 2: These styles are all in 100 subject configuration, except 268, which is 50 subject.

Note 3: Styles 255 to 284 are metal devices and are not generally subject to age degradation as are the rubber devices. However, dimensional variation due to the strength of the impression and the inking quality may occur.


Electroplates




255




256



257



258



259



260




261




263



264



266



268



271



272




274




275



276




277



278




278.5




279




280




281



282



283



284

Rubber Handstamps With Lines


- 401 Light-faced extended block caps 4.5 mm high between 0.5 mm lines 16 mm apart.
- 402 Light-faced block caps 5 mm high between 0.5 mm lines 16 mm apart.
- 403 Like 402, but state lower-case.
- 404 Like 402, but town lower-case.
- 405 Like 402, but town and state lower-case.
- 406 Light-faced condensed block caps 4 mm high between 0.5 mm lines 16 mm apart; town lower-case.
- 406.5 Town like 406; state like 411, but lower-case.
- 407 Like 406, but state lower-case.
- 408 Like 402, but 4 mm letters arranged in three lines.
- 409 Like 402, but 4 mm letters arranged in three lines; middle line in lower-case letters.
- 410 Like 402, but town and state lower-case; shaded and extended letters with slight serifs.
- 411 Light-faced serifed caps 5 mm high between 0.5 mm lines 16 mm apart.
- 412 Town like 411; state like 402.
- 413 Like 411, but town lower-case.
- 413.5 Like 411, but state lower-case.
- 414 Town like 411, but lower-case; state like 402.
- 414.5 Town like 411, but town and state lower-case; state like 402.
- 415 Like 411, but town and state lower-case.
- 416 Block caps 4 mm high between 0.5 mm lines 12 to 14 mm apart.
- 417 Like 416, but state lower-case.
- 417.5 Like 416, but spaced letters in town name.
- 418 Like 416, but town in spaced letters and state lower-case.
- 419 Like 416, but town and state lower-case.
- 420 Like 416, but town lower-case.
- 421 Like 416, but town and state lower-case; town carried over onto second line.
- 422 Like 423, but state in caps.
- 423 Light-faced condensed serifed lower-case letters 3.5 mm high between 0.5 mm lines 12.5 mm apart.
- 424 Like 423, but town and state in caps arranged in three lines between lines 17 mm apart.

Note 1: These are rubber handstamps and are subject to variation due to application pressure and age. Dimensions stated are approximate and some variation is to be expected.

Note 2: All of the above handstamps have subjects sized and spaced to fit vertically on definitive stamps.

Note 3: These styles are in 10 or 25 subject configuration. From 1916 until at least 1922 devices were available as Item 503a (10 subject) or Item 503b (25 subject).


Rubber Handstamps With Lines




401




402



403




404




405



406




406.5



407



408




409



410



411




412




413



413.5




414




414.5




415




416



417




417.5




418




419



420




421



422



423




424

Rubber Handstamps With Lines

- 452 Condensed block caps and lower-case 3 mm high letters between lines 14 to 15 mm apart.
- 453 Block caps 2 mm high between lines 11 to 13 mm apart.
- 454 Like 453, but lower-case.
- 455 Block caps 4 mm high between lines 12 to 14 mm apart.
- 455.5 Like 455, but lower-case.
- 456 Like 455, but town lower-case.
- 456.5 Town like 461, but lower-case; state like 455.
- 457 Block caps 3 mm high between lines 12 to 13.5 mm apart.
- 458 Like 457, but town lower-case.
- 459 Like 457, but lower-case.
- 460 Like 457, but town lower-case; state like 461.
- 461 Block caps 2.5 mm high between lines 11 to 14 mm apart.
- 462 Like 461, but town lower-case.
- 463 Like 461, but lower-case.
- 463.5 Like 461, but lower-case; town carried over onto the second line.
- 464 Like 461, but arranged in three lines.
- 465 Like 461, but arranged in three lines; town lower-case.
- 466 Condensed block caps 3.8 mm high between lines 12 mm apart.
- 466.5 Town like 466; state like 471.
- 467 Like 466, but town carried over onto second line.
- 468 Town like 466; state like 455.
- 468.5 Town like 455; state like 466.
- 469 Like 466, but letters extra-condensed.
- 470 Town like 466, but letters extra-condensed; state like 471.
- 471 Condensed 3 mm block caps between lines 12 mm apart.
- 471.5 Like 471, but town lower-case.
- 472 Like 471, but town carried over onto second line.
- 473 Like 471, but lower-case.
- 473.5 Town like 471; state like 482; town and state lower-case.
- 474 Like 471, but lower-case; town carried over onto the second line.
- 475 Like 471, but letters 2.6 mm high.

- Note 1: These are rubber handstamps and are subject to variation due to application pressure and age. Dimensions stated are approximate and some variation is to be expected.
- Note 2: These styles generally have a period after the state but a comma after the town is optional.
- Note 3: These styles are in 10 or 25 subject configuration. From 1916 until at least 1922 devices were available as Item 503a (10 subject) or Item 503b (25 subject).


Rubber Handstamps With Lines



452




453




454




455




455.5




456




456.5




457




458




459




460




461



462




463




463.5




464




465




466



466.5



467




468




468.5




469




470




471




471.5



472




473



473.5



474



475

Rubber Handstamps With Lines


- 476 Like 477, but spaced letters in town name.
477 Sharply serified wide caps 3.5 mm high between lines 13 mm apart.
477.5 Town like 477; state like 479.
478 Like 479, but spaced letters in town name.
479 Sharply serified spaced caps 3.2 mm high between lines 12 mm apart.
480 Town like 477; state like 482.
481 Town like 479; state like 482.
482 Sharply serified and shaded condensed caps 3.2 mm high between lines 12 mm apart.
483 Like 482, but town carried over onto second line.
484 Town like 482; state like 471.
485 Like 482, but town lower-case.
486 Like 482, but lower-case.
487 Like 482, but lower-case; town carried over onto second line.
487.5 Like 482, but smaller letters and lower-case; town carried over onto second line.
488 Town like 482, but lower-case; state like 466, but letters extra-condensed.
489 Like 490, but spaced letters in town name.
490 Bluntly serified wide caps 3 mm high between lines 12.5 mm apart.
491 Like 490, but town in spaced letters; state letters more condensed.
491.5 Like 490, but state letters more condensed.
492 Like 490, but letters more condensed.
492.5 Like 492, but town carried over onto second line.
493 Highly shaded serified caps 3 mm high between lines 12 mm apart; slanting vertical strokes on some letters.
494 Town like 493, state like 479.
495 Town like 479; state like 493.

Note 1: These are rubber handstamps and are subject to variation due to application pressure and age. Dimensions stated are approximate and some variation is to be expected.


Note 2: These styles generally have a period after the state but a comma after the town is optional.

Note 3: These styles are in 25 subject (5 x 5) configuration.


Rubber Handstamps With Lines



476




477




477.5




478




479




480




481




482




483




484




485




486




487




487.5




488




489




490




491



491.5




492




492.5



493



494



495

Rubber Handstamps With Bars


- 501 Slightly serifed extended caps 3.2 mm high between 1.3 mm bars 11 mm apart.
- 502 Highly serifed 3.4 mm caps between 1.3 mm bars 10 mm apart.
- 503 Serifed condensed 3 mm caps between 1 mm bars 10 to 11 mm apart.
- 504 Like 503, but town lower-case.
505. Like 503, but lower-case.
- 507 Spaced 3 mm block caps between 1 mm bars 11 mm apart.
- 508 Town like 507; state like 511.
- 509 Block caps 2.5 mm high between 1 mm bars 11 mm apart.
- 510 Like 509, but lower-case.
- 511 Light-faced squarish caps 3 mm high between 1 mm bars 10 mm apart.
- 511.5 Like 511, but town and state first letter 3.8 mm high.
- 512 Town like 513; state like 511.
- 513 Condensed 3 mm caps between 1 mm bars 10 to 11 mm apart.
- 515 Like 513, but arranged in three lines.
- 516 Town like 513; state like 522.
- 517 Condensed 2.5 mm caps between 1 mm bars 11 mm apart.
- 517.5 Like 517, but town lower-case.
- 518 Extra-condensed 3 mm caps between 1 mm bars 10 mm apart.
- 519 Ultra-condensed 3 mm caps between 1 mm bars 10 mm apart.
- 521 Slightly serifed extended caps 3 mm high between 1 mm bars 10 to 11 mm apart.
- 521.3 Town like 521; state like 522.
- 521.5 Like 522, but spaced letters in town name.
- 522 Slightly serifed caps 3 mm high between 1 mm bars 10 to 11 mm apart.
- 523 Like 522, but town lower-case.
- 524 Like 522, but state lower-case.
- 525 Like 522, but lower-case.
- 526 Sharply serifed light-faced caps 2.5 mm high between 1 mm bars 11 mm apart.
- 527 Like 526, but letters condensed.
- 528 Like 526, but town lower-case.
- 529 Like 526, but lower-case.
- 530 Town like 526; state like 531.

Note 1: These are rubber handstamps and are subject to variation due to application pressure and age. Dimensions stated are approximate and some variation is to be expected.


Note 2: These styles generally have a period after the state but a comma after the town is optional.

Note 3: These styles are in 25 subject (5 x 5) configuration.


Rubber Handstamps With Bars




501




502




503




504




505




507



508




509



510




511



511.5



512




513




515



516




517




517.5




518



519




521



521.3




521.5




522




523




524




525




526




527



528



529



530

Rubber Handstamps With Bars


- 531 Slightly spaced wide block caps 2.5 mm high between 1 mm bars 10 to 11 mm apart.
- 531.5 Town like 517; state like 531.
- 532 Like 531, but town lower-case and letters not spaced.
- 533 Like 531, but lower-case and letters not spaced.
- 534 Like 531, but lower-case more condensed letters.
- 535 Like 531, but town lower-case; letters extra-condensed.
- 536 Like 531, but lower-case; letters extra-condensed.
- 537 Slightly spaced 3 mm light-faced block caps between 1 mm bars 11 mm apart.
- 537.5 Town like 547; state like 537.
- 538 Block caps 2.8 mm high between 1 mm bars 10 mm apart.
- 539 Like 537, but town lower-case and not spaced.
- 539.5 Like 537, but town lower-case and not spaced.
- 540 Extra-condensed 3.8 mm lower-case letters between 1 mm bars 10 mm apart.
- 541 Extra-condensed 3 mm lower-case letters between 1 mm bars 10 mm apart.
- 542 Like 541, but bars 9 mm apart.
- 543 Shaded serifed caps 3 mm high between 1 mm bars 10.5 mm apart.
- 544 Like 543, but lower-case.
- 545 Like 543, but lower-case more condensed letters.
- 546 Like 547, but letters wider.
- 547 Block caps 3.8 mm high between 1 mm bars 10 mm apart.
- 547.5 Like 547, but town letters condensed.
- 548 Like 547, but letters condensed.
- 549 Like 547, but letters extra-condensed.
- 551 Sharply serifed condensed caps 3.8 mm high between 1 mm bars 10 to 11 mm apart.
- 552 Like 551, but town lower-case.
- 553 Like 551, but lower-case.

Note 1: These are rubber handstamps and are subject to variation due to application pressure and age. Dimensions stated are approximate and some variation is to be expected.


Note 2: These styles generally have a period after the state but a comma after the town is optional.

Note 3: These styles are in 25 subject (5 x 5) configuration.


Rubber Handstamps With Bars




531




531.5




532



533



534




535




536




537




537.5




538




539




539.5




540




541



542




543




544




545




546




547




547.5




548




549



551



552



553

Rubber Handstamps With Bars

- 556 Wide bold-faced caps 3 mm high between 1.5 mm bars 10 to 11 mm apart.
- 557 Town like 556; state like 567.
- 557.5 Like 558, but spaced letters in town name.
- 558 Wide 3 mm block caps between 1.5 mm bars 11 mm apart.
- 558.5 Town like 558; state like 563.
- 559 Highly shaded block caps 3 mm high between 1.5 mm bars 11 mm apart.
- 560 Like 559, but state has wider letters with blunt serifs.
- 561 Like 559, but wider letters with blunt serifs.
- 562 Like 563, but spaced letters in town.
- 563 Block caps 3.2 mm high between 1.5 mm bars 11 mm apart.
- 563.5 Town like 563; state like 558.
- 564 Town like 563; state like 567.
- 565 Town like 567; state like 563.
- 566 Town like 567; state like 563 with spaced letters.
- 567 Condensed 3 mm block caps between 1.5 mm bars 11 mm apart.
- 568 Town like 563; state like 567 with extra-condensed letters.
- 569 Town like 567, but extra-condensed letters; state like 563.
- 570 Town like 556; state like 572, but letters more condensed.
- 570.5 Town like 556, but spaced; state like 563.
- 571 Town like 563, but with spaced letters; state like 567, but extra-condensed letters.
- 572 Light-faced block caps 3 mm high between 1.5 mm bars 11 mm apart.
- 572.5 Like 572, arranged in three lines, 12 mm between the bars.
- 573 Like 572, but letters condensed.
- 574 Like 572, but letters condensed; spaced letters in town name.
- 575 Like 572, but letters extra-condensed; spaced letters in state.
- 576 Like 572, but town with condensed letters; state with extra-condensed letters.
- 577 Like 572, but letters extra-condensed.
- 578 Like 572, but letters extra-condensed; town lower-case.
- 579 Like 572, but extra-condensed lower-case letters.
- 580 Like 572, but letters extra-condensed; arranged in three lines between bars 15 mm apart.
- 581 Like 572, but letters extra-condensed; arranged in three lines between bars 11 mm apart.

Note 1: These are rubber handstamps and are subject to variation due to application pressure and age. Dimensions stated are approximate and some variation is to be expected.

Note 2: These styles are generally without any punctuation.

Note 3: These styles are in 25 subject (5 x 5) configuration.

Rubber Handstamps With Bars




556



557



557.5




558




558.5



559



560




561



562




563




563.5



564



565



566




567




568




569




570




570.5



571



572




572.5




573



574



575




576




577



577.5




578



579



580



581

Rubber Handstamps With Bars

- 601 Like 602, but spaced letters in town.
602 Bold 2.5 mm block caps.
603 Town like 602, but letters spaced; state like 608.
604 Town like 602; state like 608.
605 Town like 608; state like 602.
606 Town like 610; state like 602.
607 Town in ultra-condensed 2.7 mm block caps; state like 602.
608 Condensed 3 mm block caps.
609 Town like 610; state like 608.
610 Extra-condensed 3 mm block caps.
611 Town like 607; state like 608.
612 Town like 602; state like 610.
613 Town like 608; state like 610.
620 Like 621, but spaced letters in town.
621 Town in bold 2.5 mm block caps; state in light-faced slightly serifed 2.5 mm caps.
622 Town in condensed 3 mm block caps; state in light-faced slightly serifed 2.5 mm caps.
623 Town in extra-condensed 3 mm block caps; state in light-faced slightly serifed 2.5 mm caps.
624 Town in ultra-condensed 3 mm block caps; state in light-faced slightly serifed 2.5 mm caps.
625 Like 622, but arranged in three lines.
631 Like 621, but thin double bars, the innermost of which are 11 mm apart.
632 Like 622, but thin double bars, the innermost of which are 11 mm apart.
633 Like 623, but thin double bars, the innermost of which are 11 mm apart.
634 Like 624, but thin double bars, the innermost of which are 11 mm apart.
635 Like 624, but thin double bars, the innermost of which are 11 mm apart, arranged in three lines.

Note 1: These are rubber handstamps and are subject to variation due to application pressure and age. Dimensions stated are approximate and some variation is to be expected.


Note 2: These styles all have 1 mm thick BARS which measure 13 mm apart, except as noted. The state name is either spelled out in full (Idaho, Iowa, Maine, Ohio, Utah), or abbreviated, usually with, but sometimes without, punctuation. Letter dimensions refer to letter height.

Note 3: These styles are in 25 subject (5 x 5) configuration.


Rubber Handstamps With Bars




601



602




603




604




605




606




607



608




609




610




611




612




613




620



621




622



623




624




625




631




632



633



634



635

Wide Hand Electros With Lines


701	Serifed 2.5 mm caps; 1 mm between town and state.
702	Like 701, but caps and lower-case.
703	Narrow 2.5 mm block caps; 1 mm between town and state.
704	Condensed 2.5 mm block caps; 1 mm between town and state.
704.5	Like 705, but first line spaced.
705	Condensed 2.5 mm block caps; 1 mm between town and state; town carried over to second line.
706	Like 703, but arranged in three lines.
707	Like 704, but arranged in three lines.
708	Serifed 2.5 mm caps; 1.8 mm between town and state.
709	Like 708, but letters in state more condensed.
710	Like 708, but letters in town more condensed.
711	Like 708, but letters in both town and state more condensed.
712	Like 703, but 1.8 mm between town and state.
713	Like 704, but 1.8 mm between town and state.
714	Like 705, but 1.8 mm between lines of print.
715	Like 716, but spaced letters in town.
716	Serifed 2.8 mm caps; 2.1 mm between town and state.
716.3	Serifed 2.3 mm caps; 2.1 mm between town and state.
716.5	Serifed 2.5 mm caps; 2 to 2.5 mm between town and state.
717	Bold 2.5 mm block caps; 2.5 mm between town and state.
718	Town like 717; state like 719. 2.0 to 2.2 mm between town and state.
718.5	Town like 719; state like 717.
719	Condensed 2.5 mm block caps; 2.5 mm between town and state.
719.5	Like 719, but town carried over onto second line.
720	2 mm block caps; 3 mm between town and state.
721	Condensed 3 mm block caps; 1.8 mm between town and state.
722	Town like 723; state like 721.
723	Extra-condensed 3 mm block caps; 1.8 mm between town and state.
724	Town like 721; state like 723.
725	Like 723, but town carried over onto second line.
726	Ultra-condensed 2.5 mm block caps, 2.1 mm between town and state.
727	Like 726, but town carried over onto second line. 2.2 to 2.5 mm between town and state.

Note 1: These are metal devices and are not generally subject to age degradation as are the rubber devices. However dimensional variation due to the strength of the impression and the inking quality may occur.


Note 2: These styles all have 0.8 mm thick LINES which measure 11 to 13.5 mm apart. The state name is either spelled out in full (Alaska, Hawaii, Idaho, Iowa, Maine, Ohio, Utah), or abbreviated with punctuation. Letter dimensions refer to letter height.

Note 3: Styles 701, 703 & 704 are in either 25 subject (5 x 5) or 10 subject (2 x 5) configuration. Styles 705, 708, 712, 713 & 714 are in 25 subject (5 x 5) configuration. All other styles on this page are in 10 subject (2 x 5) configuration.


Wide Hand Electros With Lines




701




702



703




704



704.5



705




706




707




708



709




710




711




712




713




714




715




716



716.3




716.5




717




718




718.5




719



719.5




720



721



722




723




724



725



726



727

Narrow Hand Electros With Lines

728	Wide serifed 2.5 mm caps.
728.5	Town like 728; state more condensed.
729	Narrow 2.5 mm block caps.
730	Like 729, but town carried over onto second line.
731	Like 729, but comma after town.
732	Town like 729; state like 734.
733	Town like 734; state like 729.
734	Condensed 2.5 mm block caps.
735	Like 734, but comma after town.
736	Condensed 2.5 mm block caps; town carried over onto second line.
737	Like 734, but town in caps and lower-case.
738	Like 736, but both town and state in caps and lower-case.
739	Town like 728; state like 743.
740	Town like 743; state like 728.
741	Town like 743; state like 734.
742	Town like 734; state like 743.
743	Bold 2.5 mm block caps.
744	Town like 743; state in 2 mm block caps.
744.5	Town like 734; state in 2 mm block caps.
745	Narrow 2.5 mm block caps between hair-lines.
746	Like 745, but town carried over onto second line.
747	Like 745, but comma after town.
748	Condensed 2.5 mm block caps between hair-lines.
749	Like 748, but town carried over onto second line.
750	Like 748, but comma after town.

- Note 1: These are metal devices and are not generally subject to age degradation as are the rubber devices. However dimensional variation due to the strength of the impression and the inking quality may occur.
- Note 2: These styles all have 0.5 to 0.8 mm thick LINES which measure 8 to 9 mm apart, except as noted. The state names are either spelled out in full (Alaska, Hawaii, Idaho, Iowa, Maine, Ohio, Utah), or abbreviated with punctuation. Letter dimensions refer to letter height.
- Note 3: These styles are in 10 subject (2 x 5) configuration.

Narrow Hand Electros With Lines

OXFORD FLA.	ESBON KANS.	ELBERTA ALA.	PROSPECT PARK, PA.	THORSBY, ALA.
728	728.5	729	730	731
POTH TEX.	SOUTH FORK PA.	ALEXANDRIA ALA.	ZELIENOPE, PA.	HOWEY IN THE HILLS, FLA.
732	733	734	735	736
West Brownsville PA.	Hot Springs National Park, Ark.	HAMLET N. C.	ORONOGO MO.	MOLALLA OREG.
737	738	739	740	741
KIT CARSON GOLO.	CATALDO IDAHO	FLORENCE MINN.	SAINT IGNATIUS MONT.	ANTONITO COLO.
742	743	744	744.5	745
MCCAHEYS- VILLE. VA.	ANTELOPE, KANS.	FOREST PARK GA.	WEST SIMS- BURY, CONN.	DOVE CREEK, COLO.
746	747	748	749	750

Vinyl Handstamps With Lines

Styles 801 through 810 have a comma after town. Line spacing is 8 to 9 mm.

801	Like 802, but spaced letters in town.
802	3 mm block caps.
802.5	Like 802, but town in caps and lower-case.
803	Like 804, but spaced letters in town.
804	2.5 mm block caps.
805	Like 804, but town carried over onto second line.
806	Like 804, but town and state in caps and lower-case.
807	2 mm block caps.
808	Like 807, but town carried over onto second line.
809	Like 807, but town and state in caps and lower-case.
810	Like 807, but town and state in caps and lower-case; town carried over onto second line.

Styles 811 through 816 do not have a comma after town. Line spacing is 7 to 8 mm.

811	Bold serifed 2.7 mm caps.
812	Like 802, but letters slightly condensed.
813	Condensed 2.5 mm block caps.
814	Like 813, but town carried over onto second line.
815	Ultra condensed 3 mm block caps.
816	Like 815, but town carried over onto second line.

Styles 817 through 826 do not have a comma after town. Line spacing is 8 to 9 mm.

817	Like 819, but town and state spaced.
818	Like 819, but town spaced.
819	3 mm block caps.
820	Like 821, but town spaced.
821	2.5 mm block caps.
822	Like 821, but partial ZIP number follows state.
823	Like 821, but caps and lower case.
824	Like 825, but spaced letters in state.
825	2 mm block caps.
826	Like 825, but caps and lower-case.

Note 1: These are vinyl handstamps and are subject to variation due to application pressure and age. Dimensions stated are approximate and some variation is to be expected.

Note 2: These styles all have 0.5 to 0.8 mm thick LINES. The state name is either spelled out in full, (Alaska, Hawaii, Idaho, Iowa, Maine, Ohio, Utah), or abbreviated with punctuation. Letter dimensions refer to letter height.

Note 3: These styles are in 10 subject (2 x 5) configuration


Vinyl Handstamps With Lines



801




802



802.5




803



804



805




806




807




808




809



810



811



812




813




814




815




816




817




818




819




820




821



822




823



824



825



826

Vinyl Handstamps With Lines

Styles 827 through 833 have a comma after town. Line spacing is 8 to 9 mm.

- 827 Wide 2.7 mm block caps.
- 828 2.5 mm block caps.
- 829 Like 828, but state on top line and ZIP number only on second line.
- 830 Town like 828; state like 832.
- 831 Like 828, but town in caps and lower-case.
- 832 2 mm block caps.
- 833 Like 832, but town in caps and lower-case.

Styles 834 through 847 have no punctuation. Line spacing is 8 to 9 mm.

- 834 Wide 2.7 mm block caps with town spaced.
- 834.5 Town like 834; state like 841.
- 835 Wide 2.7 mm block caps - see inset 835 852
G K J **G K J**
- 835.5 Town like 835; state like 841.
- 836 Like 839, but town and state spaced.
- 837 Like 839, but town spaced.
- 838 Like 839, but state spaced.
- 839 3 mm block caps.
- 839.5 Like 839, but town in caps and lower-case.
- 840 Like 841, but town spaced.
- 840.5 Town like 841; state like 835.
- 841 2.5 mm block caps.
- 841.5 Town like 842; state like 841.
- 842 Wide 2.7 mm block caps; town in caps and lower-case.
- 842.5 Town like 843; state like 842.
- 843 2.5 mm block caps; town in caps and lower-case.
- 843.5 Town like 843; state like 846.
- 844 Like 843, but both town and state in caps and lower-case.
- 845 Town like 846; state like 841.
- 845.5 Town like 846; state like 835.
- 846 2 mm block caps.
- 847 2 mm block caps; town carried over onto second line; comma after town.

Note 1: These are vinyl handstamps and are subject to variation due to application pressure and age. Dimensions stated are approximate and some variation is to be expected.


Note 2: These styles all have 0.5 to 0.8 mm thick LINES. The state is abbreviated in two letters without punctuation. Letter dimensions refer to letter height.

Note 3: These styles are in 10 subject (2 x 5) configuration.


Vinyl Handstamps With Lines




827




828



829




830



831




832




833




834




834.5




835




835.5




836




837




838




839



839.5




840




840.5



841




841.5



842




842.5




843



843.5




844




845



845.5



846



847

Vinyl Handstamps With Lines

Styles 847.5 through 867 have no punctuation except as noted. Line spacing is 8 to 9 mm.


847.5	Town like 848; state in 2.7 mm block caps.
848	2 mm block caps; town in caps and lower-case.
848.5	Town like 848; state in 2.5 mm block caps.
849	Like 848, but town carried over onto second line; comma after town.
850	Like 848, but both town and state in caps and lower-case.
851	3 mm block caps; ZIP code follows state.
852	Wide 2.7 mm block caps; bolder letters than 835 – see inset near style description for 835.
852.5	Like 853, but town spaced.
853	Condensed 2.5 mm block caps.
853.3	Like 853.5, but first line spaced.
853.5	Condensed 2.5 mm block caps; town carried over onto second line; comma after town.
854	Condensed 2.5 mm block caps; town in caps and lower-case.
855	Like 854, but town carried over onto second line; comma after town.
855.5	Like 853, but town and state on first line, separated by comma. Other information on second line in caps and lower-case.
856	Town like 857; state in 2.5 mm block caps.
857	1.4 mm block caps; town in caps and lower-case.
858	Town in 1.4 mm block caps; state in 2 mm block caps.
859	Town like 857; state like 858.
861	Town in Elite Roman typewriter caps; state in 2.5 mm block caps.
862	Town in 2.7 mm block caps; state in Elite Roman typewriter caps.
865	Town in wide 2 mm block caps and lower-case; state in 2.5 mm block caps.
867	2.5 mm block caps; town carried over onto second line; comma after town.

Note 1: These are vinyl handstamps and are subject to variation due to application pressure and age. Dimensions stated are approximate and some variation is to be expected.


Note 2: These styles all have 0.5 to 0.8 mm thick LINES. The state is abbreviated in two letters without punctuation. Letter dimensions refer to letter height.

Note 3: These styles are in 10 subject (2 x 5) configuration.


Vinyl Handstamps With Lines




847.5




848



848.5




849



850




851



852



852.5




853




853.3



853.5




854




855




855.5




856




857




858




859



861



862



865



867

Vinyl Handstamps With Lines

Styles 870 through 896 have no punctuation. Line spacing is 8 to 9 mm.

870	Like 872, but both town and state spaced.
871	Like 872, but town spaced.
872	Wide 2.5 mm serifed caps.
875	Like 877, but town and state spaced.
877	Wide 2 mm serifed caps.
879	Like 877, but town in caps and lower-case.
880	Like 882, but town and state spaced.
881	Like 882, but town spaced.
882	Narrow 2.5 mm serifed caps.
883	Like 882, but town carried over onto second line; comma after town.
884	3 mm broad serifed caps.
886	Town in wide 2 mm block caps; state in 2 mm normal caps.
890	Thick wide 2.5 mm block caps.
892	Thick 2.5 mm block caps.
893	Like 892, but town in caps and lower-case.
894	Wide 3 mm block caps; town spaced.
895	2.5 mm block caps of varying widths, depending on length of town name; letter "l" with serifs.
896	Like 895, but town in caps and lower-case.

Styles 901 and 902 have no punctuation. Line spacing is 8.5 to 9 mm.

901	2.3 mm block caps.
902	2.3 mm condensed block caps.

Styles 903 through 906 have no punctuation. Line spacing is 9 to 9.5 mm.


903	2.8 mm block caps.
904	2.8 mm condensed block caps.
905	Like 904, with Zip code.
906	Like 904, town and state on first line, ZIP code on second line.

Note 1: These are vinyl handstamps and are subject to variation due to application pressure and age. Dimensions stated are approximate and some variation is to be expected.


Note 2: These styles all have 0.5 to 0.8 mm thick LINES. The state is abbreviated in two letters without punctuation. Letter dimensions refer to the letter height.

Note 3: These styles are in 10 subject (2 x 5) configuration.


Vinyl Handstamps With Lines




870




871




872




875




877




879




880



881




882




883




884




886




890



892




893



894



895




896




901



902




903



904



905




906


Playing Card Revenues

- 11 Serifed caps 3 mm high between lines 12.5 mm apart.
- 12 Like 11, but arranged in two lines.
- 13 Four lines of serifed caps, first two lines 3.3 mm high, next two lines 2.2 mm high, between lines 15.5 mm apart.
- 14 Gothic caps 3.5 mm high between lines 11 mm apart.
- 14.5 Like 14, but lines 12.5 mm apart.
- 15 Two lines 1 mm apart over two lines of serifed caps; first line 9.8 mm high, second line 4 mm high.
- 16 Four lines of serifed caps, first two lines 4.8 mm high, next two lines 2.1 mm high, between lines 25 mm apart.
- 17 U.S. Playing Card Company logo, 19 mm diameter.
- 18 Like 17, but 17 mm diameter.
- 19 Serifed caps 3 mm high, between lines 10.5 mm apart.
- 20 One line of serifed caps 5.2 mm high.
- 21 Like 20, but arranged in two lines.
- 22 Two lines of serifed caps, first line 4.8 mm high, second line 3.2 mm high.
- 23 Like 24, but arranged in two lines.
- 24 Serifed caps 3.5 mm high between lines 12.5 mm apart.
- 25 Like 24, but lines 11 mm apart.
- 26 Like 20, but wider letters.


Playing Card Revenues




11



12




13




14



14.5




15




16




17




18




19




20




21




22




23



24



25



26